

Avenida de la Albufera, 323, pl. 2, of. 13 28031 Madrid (Spain) Phone: +34 91 803 9251 E-mail:wirelessmundi@wirelessmundi.com

Web:http://www.wirelessmundi.com

COMMSDESK Tech sheet

Date: May 16, 2022 **Made by**: Wireless World

Index

1. Introduction	3
2 Components	3
2.1 Core WebRTC	
2.1.1 Codecs	
2.2 BLF presence	
2.3 Counted LDAP	
2.4 Transfer	4
2.5 Conference	
2.6 Functions / devios	4
2.7 Automationon	4
2.8 Updates	4

1 INTRODUCTION

This document details the technical specifications for the CommDesk softphone product. The functionalities of each of the components that are part of the product are detailed below.

2 COMPONENTS

The CommDesk is made up of multiple components that offer a complete softphone solution to be used in telework, office, call centers, travel or residential. Each one of them is detailed below.

2.1 Core WebRTC

This component is responsible for the connection with the CommsMundi telephony module. It has the following features:

- © Encrypted JSON-RPC signaling
 - u communication is encrypted using DTLS
- audio encrypted
 - □ the entire call is encrypted via SRTP
- o encrypted video
 - □ the entire call is encrypted via SRTP
- o encrypted chat
 - ☑ all communication is encrypted using DTLS

2.1.1 codecs

The codecs supported by the softphone are:

- Supported audio codecs: G.711 (alaw/mulaw), G.722, OPUS
- Supported video codecs: H.264, VP8 and VP9

2.2 BLF presence

Allows you to monitor the call status of extensions / local contacts.

2.3 Counted LDAP

This component allows connection to a remote LDAP contact server:

- allows to search in the remote directory to launch new calls
- allows to identify the name of the caller in the remote directory

2.4 Transfer

Allows call transfer. There are two transfer modes:

- O direct
 - u transfers the call directly to the new destination
- assisted
 - transfers two established calls to each other, that is, it allows a consultation call to be made to the destination before making the transfer

2.5 Conference

It allows you to make a conference between 3 participants, on each member you have the basic controls of the conference: mute, un-mute, disconnect.

2.6 functions / diversions

Allows integration with account diversions directly in the CM switchboard.

2.7 Automation

Allows integration of automatic actions (local programs) in call events.

2.8 updates

Component responsible for checking for new versions and updating to the latest version.

